

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008
 Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name MIKE HUFFMAN		FOR INSURANCE COMPANY USE	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 243 DRIFTWOOD LANE		Policy Number:	
City FORT MYERS BEACH		Company NAIC Number:	
State FL		ZIP Code 33931	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) BEING OF LOT 15, BLOCK C, FLAMINGO PARK			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL			
A5. Latitude/Longitude: Lat. 26 25 31 N Long. 81 54 12 W Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983			
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.			
A7. Building Diagram Number 6			
A8. For a building with a crawlspace or enclosure(s):		A9. For a building with an attached garage:	
a) Square footage of crawlspace or enclosure(s)	N/A sq ft	a) Square footage of attached garage	1858 sq ft
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade	N/A	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade	10
c) Total net area of flood openings in A8.b	N/A sq in	c) Total net area of flood openings in A9.b	2000 sq in
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number FORT MYERS BEACH 120673		B2. County Name LEE COUNTY		B3. State FLORIDA	
B4. Map/Panel Number 12071C-0567	B5. Suffix F	B6. FIRM Index Date 8/28/08	B7. FIRM Panel Effective/Revised Date 8/28/08	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10.0
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
 *A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.
 Benchmark Utilized: **PID-J245** Vertical Datum: **NAVD 1988**
 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: _____
 Datum used for building elevations must be the same as that used for the BFE.

		Check the measurement used.	
a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	3.9	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
b) Top of the next higher floor	14.4	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A	<input type="checkbox"/> feet	<input type="checkbox"/> meters
d) Attached garage (top of slab)	3.4	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	14.3	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
f) Lowest adjacent (finished) grade next to building (LAG)	3.0	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
g) Highest adjacent (finished) grade next to building (HAG)	3.2	<input checked="" type="checkbox"/> feet	<input type="checkbox"/> meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	N/A	<input type="checkbox"/> feet	<input type="checkbox"/> meters

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Check here if attachments.

Certifier's Name THOMAS E. RHODES, SR	License Number 5854
Title PRESIDENT	Company Name Rhodes & Rhodes Land Surveying, Inc
Address 28100 Bonita Grande Dr. 107	City Bonita Springs State FL ZIP Code 34135
Signature <i>[Signature]</i> Date 12/9/13	Telephone 239-405-8166



IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 243 DRIFTWOOD LANE	Policy Number:
City FORT MYERS BEACH State FL ZIP Code 33931	Company NAIC Number:

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments IN REFERENCE TO C2-E THE MACHINERY IS AN AIR CONDITIONING UNIT
JOB # 2013-38 FINAL F.B 840 PG. 24
FLOODVENT MODEL # 1540-520

Signature *[Handwritten Signature]* Date 12/9/13

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
 - a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
 - b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name _____

Address _____	City _____	State _____	ZIP Code _____
Signature _____	Date _____	Telephone _____	

Comments _____

Check here if attachments.

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- 31. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- 32. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- 33. The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number _____	G5. Date Permit Issued _____	G6. Date Certificate Of Compliance/Occupancy Issued _____
-------------------------	------------------------------	---

- 37. This permit has been issued for: New Construction Substantial Improvement
- 38. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters Datum _____
- 39. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters Datum _____
- 310. Community's design flood elevation: _____ feet meters Datum _____

Local Official's Name _____	Title _____
Community Name _____	Telephone _____
Signature _____	Date _____

Comments _____

Check here if attachments.

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
243 DRIFTWOOD LANE

Policy Number:

City FORT MYERS BEACH

State FL

ZIP Code 33931

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW 12/9/13



RIGHT SIDE VIEW 12/9/13



Building Photographs

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
243 DRIFTWOOD LANE

Policy Number:

City FORT MYERS BEACH

State FL ZIP Code 33931

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

REAR VIEW 12/9/13



LEFT SIDE VIEW 12/9/13





Product Approval
USER: Public User

Smart Vent

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

EMERGENCY MANAGEMENT

OFFICE OF THE SECRETARY

FL #	FL5822-R2
Application Type	Revision
Code Version	2010
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Smart Vent Products, Inc.
Address/Phone/Email	430 Andbro Dr Unit 1 Pitman, NJ 08071 (877) 441-8368 info@smartvent.com
Authorized Signature	Michael Graham info@smartvent.com
Technical Representative	Michael J. Graham
Address/Phone/Email	20 Warrick Ave. Glassboro, NJ, NJ 08028 (888) 628-4115 mike@smartvent.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Structural Components
Subcategory	Products Introduced as a Result of New Technology
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Alexis Spyrou
Florida License	PE-68101
Quality Assurance Entity	Architectural Testing, Inc.
Quality Assurance Contract Expiration Date	12/31/2015
Validated By	Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received
Certificate of Independence	FL5822 R2 COI COI Smart Vent signed and cert.pdf
Referenced Standard and Year (of Standard)	
Equivalence of Product Standards	

Certified By

Sections from the Code

1612.5(1)(1.2)
1714.2

Product Approval Method

Method 2 Option B

Date Submitted

12/15/2011

Date Validated

12/16/2011

Date Pending FBC Approval

12/22/2011

Date Approved

01/31/2012

Summary of Products

FL #	Model, Number or Name	Description
5822.1	Model #1540-510	SmartVent
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +100/-100 Other: One vent may be used for up to 200 sq. ft. of interior space.		Installation Instructions PTTD 5822 I Installation Instructions.pdf Verified By: Alexis Spyrou Florida PE 68101 Created by Independent Third Party: Yes Evaluation Reports FL5822 R2 AE PER 1550 signed and cert updated.pdf FL5822 R2 AE SmartVent - Impact Requirements Letter 12.15.11 signed and cert.pdf Created by Independent Third Party: Yes
5822.2	Model #1540-514	SmartVent Overhead Door Model
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +100/-100 Other: One vent may be used for up to 200 sq. ft. of interior space.		Installation Instructions FL5822 R2 II Installation Instructions.pdf Verified By: Alexis Spyrou Florida PE 68101 Created by Independent Third Party: Yes Evaluation Reports FL5822 R2 AE PER 1550 signed and cert updated.pdf FL5822 R2 AE SmartVent - Impact Requirements Letter 12.15.11 signed and cert.pdf Created by Independent Third Party: Yes
5822.3	Model #1540-520	FloodVent
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +100/-100 Other: One vent may be used for up to 200 sq. ft. of interior space.		Installation Instructions FL5822 R2 II Installation Instructions.pdf Verified By: Alexis Spyrou Florida PE 68101 Created by Independent Third Party: Yes Evaluation Reports FL5822 R2 AE PER 1550 signed and cert updated.pdf FL5822 R2 AE SmartVent - Impact Requirements Letter 12.15.11 signed and cert.pdf Created by Independent Third Party: Yes
5822.4	Model #1540-524	FloodVent Overhead Door Model
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +100/-100 Other: One vent may be used for up to 200 sq. ft. of interior space.		Installation Instructions FL5822 R2 II Installation Instructions.pdf Verified By: Alexis Spyrou Florida PE 68101 Created by Independent Third Party: Yes Evaluation Reports FL5822 R2 AE PER 1550 signed and cert updated.pdf FL5822 R2 AE SmartVent - Impact Requirements Letter 12.15.11 signed and cert.pdf Created by Independent Third Party: Yes
5822.5	Model #1540-570	Wood Wall FloodVent
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +100/-100 Other: One vent may be used for up to 200 sq. ft. of interior space.		Installation Instructions FL5822 R2 II Installation Instructions.pdf Verified By: Alexis Spyrou Florida PE 68101 Created by Independent Third Party: Yes Evaluation Reports FL5822 R2 AE PER 1550 signed and cert updated.pdf FL5822 R2 AE SmartVent - Impact Requirements Letter 12.15.11 signed and cert.pdf Created by Independent Third Party: Yes
5822.6	Model #1540-574	Wood Wall FloodVent Overhead Door Model
Limits of Use Approved for use in HVHZ: Yes		Installation Instructions FL5822 R2 II Installation Instructions.pdf

Approved for use outside HVHZ: Yes
Impact Resistant: N/A
Design Pressure: +100/-100
Other: One vent may be used for up to 200 sq. ft. of interior space.

Verified By: Alexis Spyrou Florida PE 68101
Created by Independent Third Party: Yes
Evaluation Reports
[FL5822_R2_AE_PFR_1550_signed_and_cert_updated.pdf](#)
[FL5822_R2_AE_SmartVent - Impact Requirements Letter 12.15.11 signed_and_cert.pdf](#)
Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399

The State of Florida is an AA/EEO employer. [Copyright 2007-2010 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, e-mail addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions regarding DBPR's ADA web accessibility, please contact our Web Master at webmaster@dbpr.state.fl.us.

Product Approval Accepts:

