

ELEVATION CERTIFICATE


IMPORTANT: Follow the instructions on pages 1-9.


OMB No. 1660-0008
 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
A1. Building Owner's Name <u>Woodwind Construction, Inc.</u>		Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. <u>561 Palermo Circle</u>		Company NAIC Number:
City <u>Fort Myers</u>	State <u>Fl.</u>	ZIP Code <u>33931</u>
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) <u>Lot 6 Block E Venetian Gardens</u>		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u>		
A5. Latitude/Longitude: Lat. <u>26° 27' 10.18"</u> Long. <u>81° 57' 04.15"</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983		
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <u>1A</u>		
A8. For a building with a crawlspace or enclosure(s):		A9. For a building with an attached garage:
a) Square footage of crawlspace or enclosure(s) <u>1620</u> sq ft		a) Square footage of attached garage <u>-0-</u> sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>10</u>		b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>-0-</u>
c) Total net area of flood openings in A8.b <u>2000</u> sq in		c) Total net area of flood openings in A9.b <u>-0-</u> sq in
d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number <u>Town of Fort Myers Beach - 120673</u>			B2. County Name <u>Lee</u>		B3. State <u>Fl.</u>
B4. Map/Panel Number <u>12071C0554F/0554</u>	B5. Suffix <u>F</u>	B6. FIRM Index Date <u>08/28/2008</u>	B7. FIRM Panel Effective/ Revised Date <u>08/28/2008</u>	B8. Flood Zone(s) <u>"AE"</u>	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) <u>12.00</u>
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: _____ / _____ / _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)	
C1. Building elevations are based on: <input type="checkbox"/> Construction Drawings* <input type="checkbox"/> Building Under Construction* <input checked="" type="checkbox"/> Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.	
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: <u>CGS Benchmark Tidal 1 - BM 1 1965</u> Vertical Datum: <u>N.G.V.D. 1929</u> Indicate elevation datum used for the elevations in items a) through h) below. <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____ Datum used for building elevations must be the same as that used for the BFE.	
Check the measurement used.	
a) Top of bottom floor (including basement, crawlspace, or enclosure floor) <u>5 . 8</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
b) Top of the next higher floor <u>17 . 5</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
c) Bottom of the lowest horizontal structural member (V Zones only) <u>N/A</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters
d) Attached garage (top of slab) <u>5 . 0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) <u>13 . 0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
f) Lowest adjacent (finished) grade next to building (LAG) <u>4 . 2</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
g) Highest adjacent (finished) grade next to building (HAG) <u>4 . 6</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support <u>N/A</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.					
<input checked="" type="checkbox"/> Check here if comments are provided on back of form.		Were latitude and longitude in Section A provided by a licensed land surveyor? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
<input type="checkbox"/> Check here if attachments.					
Certifier's Name <u>Phillip M. Mould</u>			License Number <u>LS# 6515</u>		
Title <u>Professional Surveyor & Mapper</u>		Company Name <u>Harris-Jorgensen, Inc.</u>			
Address <u>3046 Del Prado Boulevard S., Unit 3-A</u>		City <u>Cape Coral</u>	State <u>Fl.</u>	ZIP Code <u>33904</u>	
Signature 		Date <u>01/31/2014</u>	Telephone <u>(239) 257-2624</u>		



ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 561 Palermo Circle			Policy Number:
City Fort Myers	State Fl.	ZIP Code 33931	Company NAIC Number:

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments
 C-2 A Elevation = Storage Area
 C-2 B Elevation = Living Area
 C-2 E Elevation = A/C Pad
 Benchmark Elevation = 3.44 N.G.V.D. Minus 1.20' Elevation = 2.24 N.A.V.D.

Signature  LS# 6515 Date 01/31/2014

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ . _____ feet meters above or below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ . _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ . _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____ . _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ . _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER’S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name _____

Address _____ City _____ State _____ ZIP Code _____

Signature _____ Date _____ Telephone _____

Comments _____

Check here if attachments.

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4–G9) is provided for community floodplain management purposes.

G4. Permit Number <u>BID12-0226</u>	G5. Date Permit Issued _____	G6. Date Certificate Of Compliance/Occupancy Issued _____
-------------------------------------	------------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____ . _____ feet meters Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ . _____ feet meters Datum _____
- G10. Community's design flood elevation: _____ . _____ feet meters Datum _____

Local Official's Name _____ Title _____

Community Name _____ Telephone _____

Signature _____ Date _____

Comments _____

Check here if attachments.

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 561 Palermo Circle			Policy Number:	
City Fort Myers	State Fl.	ZIP Code 33931	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



"Front View"

January 31, 2014



"Rear View"

January 31, 2014

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 561 Palermo Circle			Policy Number:	
City Fort Myers	State Fl.	ZIP Code 33931	Company NAIC Number:	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



"Side View"

January 31, 2014




"Side View"

January 31, 2014

www.smartvent.com • info@smartvent.com


TEL: (877) 441-8368 • FAX: (856) 269-4465

FAMILY OF PRODUCTS




Dual Function SMART VENT

MODEL # 1540-510
INSTALLATION TYPE Masonry Wall
STYLE Louvered
CERTIFIED FOR 200 sq. ft. FLOOD COVERAGE, 51 sq. in. AIR VENTILATION
DIMENSIONS 16"W x 8"H x 3"D
R.O. 16 1/4" x 8 1/4"
FINISH Marine Grade 316 Stainless Steel




Insulated FLOOD VENT

MODEL # 1540-520
INSTALLATION TYPE Masonry Wall
STYLE Insulated
CERTIFIED FOR 200 sq. ft. FLOOD COVERAGE
DIMENSIONS 16"W x 8"H x 3"D
R.O. 16 1/4" x 8 1/4"
FINISH Marine Grade 316 Stainless Steel



Wood Wall Insulated FLOOD VENT

MODEL # 1540-570
INSTALLATION TYPE Stud Wall
STYLE Insulated
CERTIFIED FOR 200 sq. ft. FLOOD COVERAGE
DIMENSIONS 14 1/2"W x 8 1/2"H x 3"D
R.O. 14 1/2" x 8 3/4"
FINISH Marine Grade 316 Stainless Steel



OHD Garage Door Flood Vent

MODEL # 1540-524	1540-574
INSTALLATION TYPE Overhead Garage Doors	
STYLE Insulated	
CERTIFIED FOR 200 sq. ft. FLOOD COVERAGE	
DIMENSIONS 16"W x 8"H x 3"D	14 1/2"W x 8 1/2"H x 3"D
R.O. 16" x 8"	14 1/2" x 8 3/4" CUT THROUGH DOOR
FINISH Powder Coated Painted White (MG 316 SS)	



Made in America
Anderson, SC

Available Powder Coat Colors



www.smartvent.com • info@smartvent.com

TEL: (877) 441-8368 • FAX: (856) 269-4465

FAMILY OF PRODUCTS



DUAL FUNCTION Combination Models

SOME ASSEMBLY REQUIRED




INSULATED Combination Models

SOME ASSEMBLY REQUIRED

MODEL #	1540-511 STACKER	1540-550 QUAD
INSTALLATION TYPE	Masonry Wall	
STYLE	Louvered	
DIMENSIONS	16"W x 16"H x 3"D	32"W x 16"H x 3"D
R.O.	16 1/4" x 16 3/8"	33" x 16 3/8"
CERTIFIED FOR	400 sq. ft. FLOOD COVERAGE, 102 sq. in. AIR VENTILATION	800 sq. ft. FLOOD COVERAGE, 204 sq. in. AIR VENTILATION

MODEL #	1540-521 STACKER	1540-560 QUAD
INSTALLATION TYPE	Masonry Wall	
STYLE	Insulated	
DIMENSIONS	16"W x 16"H x 3"D	32"W x 16"H x 3"D
R.O.	16 1/4" x 16 3/8"	33" x 16 3/8"
CERTIFIED FOR	400 sq. ft. FLOOD COVERAGE	800 sq. ft. FLOOD COVERAGE



*Stacker and Quad Vinyl Bucks not shown

SMART VENT Pour-in-Place Vinyl Buck


SMART VENT Stacker Vinyl Buck*

SMART VENT Quad Vinyl Buck*

MODEL #	WIDTH	HEIGHT	DEPTH	MODEL #	WIDTH	HEIGHT	DEPTH	MODEL #	WIDTH	HEIGHT	DEPTH
1540-805.50 (510 or 520)	18 5/8"	10 5/8"	5 1/2"	1540-805.50 (511 or 521)	18 5/8"	19"	5 1/2"	1540-805.50 (550 or 560)	33 3/8"	19"	5 1/2"
1540-807.25 (510 or 520)	18 5/8"	10 5/8"	7 1/4"	1540-807.25 (511 or 521)	18 5/8"	19"	7 1/4"	1540-807.25 (550 or 560)	33 3/8"	19"	7 1/4"
1540-808N (510 or 520)	18 5/8"	10 5/8"	7 1/2" (NOMINAL 8)	1540-808N (511 or 521)	18 5/8"	19"	7 1/2" (NOMINAL 8)	1540-808N (550 or 560)	33 3/8"	19"	7 1/2" (NOMINAL 8)
1540-808F (510 or 520)	18 5/8"	10 5/8"	7 7/8" (FULL 8)	1540-808F (511 or 521)	18 5/8"	19"	7 7/8" (FULL 8)	1540-808F (550 or 560)	33 3/8"	19"	7 7/8" (FULL 8)
1540-809.25 (510 or 520)	18 5/8"	10 5/8"	9 1/4"	1540-809.25 (511 or 521)	18 5/8"	19"	9 1/4"	1540-809.25 (550 or 560)	33 3/8"	19"	9 1/4"
1540-810N (510 or 520)	18 5/8"	10 5/8"	9 1/2" (NOMINAL 10)	1540-810N (511 or 521)	18 5/8"	19"	9 1/2" (NOMINAL 10)	1540-810N (550 or 560)	33 3/8"	19"	9 1/2" (NOMINAL 10)
1540-810F (510 or 520)	18 5/8"	10 5/8"	9 7/8" (FULL 10)	1540-810F (511 or 521)	18 5/8"	19"	9 7/8" (FULL 10)	1540-810F (550 or 560)	33 3/8"	19"	9 7/8" (FULL 10)
1540-811.25 (510 or 520)	18 5/8"	10 5/8"	11 1/4"	1540-811.25 (511 or 521)	18 5/8"	19"	11 1/4"	1540-811.25 (550 or 560)	33 3/8"	19"	11 1/4"
1540-812N (510 or 520)	18 5/8"	10 5/8"	11 1/2" (NOMINAL 12)	1540-812N (511 or 521)	18 5/8"	19"	11 1/2" (NOMINAL 12)	1540-812N (550 or 560)	33 3/8"	19"	11 1/2" (NOMINAL 12)
1540-812F (510 or 520)	18 5/8"	10 5/8"	11 7/8" (FULL 12)	1540-812F (511 or 521)	18 5/8"	19"	11 7/8" (FULL 12)	1540-812F (550 or 560)	33 3/8"	19"	11 7/8" (FULL 12)
1540-800-2 (510 or 520)	18 5/8"	10 5/8"	2" Extension	1540-800-2 (511 or 521)	18 5/8"	19"	2" Extension	1540-800-2 (550 or 560)	33 3/8"	19"	2" Extension



Stainless Steel Trim & Sleeve Kit



Fire Damper



Custom Configuration

Available for any size wall thickness

UL - Certified 2-HR

Various custom multi-frame configurations available for commercial projects

ACKNOWLEDGEMENT OF FLOODPL

This ACKNOWLEDGEMENT OF FLOODPLAIN REGULATIONS is made this 29 day of JAN, 2013
by Joseph Orlaudimi ("Owner") of the property legally described in Exhibit A, attached hereto and
made a part hereof.

WHEREAS, the owner in the record owner of all the real property described in Exhibit A, located in the Town of Fort
Myers Beach in Lee County, Florida.

WHEREAS, the Owner has applied for a building permit on this property to place or improve a residential structure in a
way that will fully enclose space below the base flood elevation (permit reference number PLD-12-0226).

WHEREAS, the owner agrees to the recording of this acknowledgement in the public records of Lee County and
acknowledges that the following floodplain regulations are legally in force to the affected property, and that these
floodplain regulations, as they may be amended from time to time, will affect the rights and obligations of the Owner and
shall be binding on the Owner, their heirs, personal representatives, successors, or assigns.

I (WE) HEREBY ACKNOWLEDGE THE FOLLOWING:

1. The structure or part thereof to which these regulations apply, whose legal description is attached as Exhibit A, is
located at: 561 Palmetto, Fort Myers Beach, Florida 33931, and is currently identified
By Lee County as STRAP # 19-46-24-W4-00060E. 6060

2. The base flood elevation established for this site by the Fort Myers Beach Land Development Code is 10 feet above
mean sea level as of this 29 day of JAN, 2013.

3. The floodplain regulations of the Town of Fort Myers Beach require that fully enclosed space below the base flood
elevation may be used only for parking, building access, and storage; electrical, plumbing, and other utility connections
are permitted below the base flood elevation per Land Development Code § 6-472; the interior shall not be portioned or
finished into separate habitable rooms; all structural and non-structural components must use materials that are resistant to
flood forces and deterioration caused by repeated inundation; and walls must be designed to allow for the entry and exit of
floodwaters to equalize hydrostatic flood forces.

4. Any unauthorized alterations or changes from the permitted improvements shall constitute a violation of the Fort
Myers Beach Land Development Code, and may also render the structure uninsurable. The Town of Fort Myers Beach
may take any legal action authorized by its Land Development Code, including but not limited to the forced removal of
said alterations, to correct any violation.

In witness whereof, I (we) set our hands this 29 day of JAN, 2013.

Joseph Orlaudimi
Owner

Owner

STATE OF FLORIDA, COUNTY OF LEE; Sworn to and subscribed before me this 29 day of
JANUARY, 2013, by JOSEPH ORLAUDIMI who OWNER.

Signature of Notary Public: Gerald Mercado

Printed name of Notary Public: GERALD MERCADO Stamp:

