

# ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008  
 Expiration Date: July 31, 2015

<b>BWLK JOB#</b> 41878	<b>SECTION A - PROPERTY INFORMATION</b>	<b>FOR INSURANCE COMPANY USE</b>
A1. Building Owner's Name WINDOVER FORT MYERS BEACH LLC		Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 4850 ESTERO BLVD (BUILDING #3)		Company NAIC Number:
City FORT MYERS BEACH	State FL	ZIP Code 33931
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) STRAP NO 28-46-24-W4-00012.0010 INSTRUMENT NO 2012000061234 SECTION 28-46-24		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>RESIDENTIAL</u>		
A5. Latitude/Longitude: Lat. <u>26°26'06.9"</u> Long. <u>81°55'12.0"</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983		
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <u>6</u>		
A8. For a building with a crawlspace or enclosure(s):		
a) Square footage of crawlspace or enclosure(s)	<u>1,040+/-</u> sq ft	A9. For a building with an attached garage:
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade	<u>3</u>	a) Square footage of attached garage <u>SEE COMMENTS</u> sq ft
c) Total net area of flood openings in A8.b	<u>822</u> sq in	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>N/A</u>
d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		c) Total net area of flood openings in A9.b <u>N/A</u> sq in
		d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

## SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number TOWN OF FORT MYERS BEACH 120673		B2. County Name LEE		B3. State FLORIDA	
B4. Map/Panel Number 12071C0566	B5. Suffix F	B6. FIRM Index Date 8-28-08	B7. FIRM Panel Effective/Revised Date 8-28-28	B8. Flood Zone(s) VE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) +16 (NAVD 1988)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					

## SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  
 Benchmark Utilized: NGS BENCHMARK G-245 Vertical Datum: NAVD 88  
 Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other/Source: \_\_\_\_\_  
 Datum used for building elevations must be the same as that used for the BFE.

		Check the measurement used.
a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	<u>6.4</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
b) Top of the next higher floor	<u>21.7</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
c) Bottom of the lowest horizontal structural member (V Zones only)	<u>19.3</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
d) Attached garage (top of slab)	<u>5.9</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	<u>17.0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
f) Lowest adjacent (finished) grade next to building (LAG)	<u>5.0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
g) Highest adjacent (finished) grade next to building (HAG)	<u>6.0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	<u>5.0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters

## SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes  No

Check here if attachments.

Certifier's Name	Scott C. Whitaker	License Number	4324
Title	Professional Surveyor and Mapper	Company Name	Bean, Whitaker, Lutz & Kareh, Inc. (LB4919)
Address	13041-1 McGregor Boulevard	City	Fort Myers
		State	FL
		ZIP Code	33919
Signature		Date	2-3-14
		Telephone	239-481-1331

Bean, Whitaker, Lutz & Kareh, Inc. (LB4919)

Scott C. Whitaker  
 P.S.M. 4324

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
4850 ESTERO BLVD (BUILDING #3)
City FORT MYERS BEACH State FL ZIP Code 33931
Policy Number:
Company NAIC Number:

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments A8 a) THE GROUND FLOOR (ENCLOSURE) CONTAINS A GARAGE, STORAGE, FOYER, STAIRS & ELEVATOR. A8 c) BASED ON THE ATTACHED CERTIFICATION LETTER, THE FLOOD SOLUTIONS MODEL 2412-F STATES THAT THE COVERAGE IS 274 SQUARE FEET PER VENT, THEREFORE 3X274=822 SQUARE FEET OF COVERAGE. C2 a) INDICATES ELEVATION OF FINISH FLOOR GROUND FLOOR (FOYER, STAIRS & ELEVATOR), ELEVATOR PIT NOT MEASURED. C2 b) INDICATES ELEVATION OF FINISH FLOOR SECOND STORY (LIVING AREA). A9 a) & C2 d) THE GARAGE IS PART OF THE GROUND FLOOR ENCLOSURE AREA. C2 e) INDICATES ELEVATION OF HOT WATER HEATER. THIS IS NOT A CERTIFICATION OF BREAKAWAY WALLS - REFER TO STRUCTURAL ENGINEER. (BUILDER STATES PORTION OF ENCLOSURE BELOW LOWEST BEAM (C2 c) ARE BREAKAWAY WALLS.)

Signature Date 2-3-14

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
a) Top of bottom floor (including basement, crawlspace, or enclosure) is ... feet meters above or below the HAG.
b) Top of bottom floor (including basement, crawlspace, or enclosure) is ... feet meters above or below the LAG.
E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is ... feet meters above or below the HAG.
E3. Attached garage (top of slab) is ... feet meters above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is ... feet meters above or below the HAG.
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name
Address City State ZIP Code
Signature Date Telephone
Comments

Check here if attachments.

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
G3. The following information (Items G4-G10) is provided for community floodplain management purposes.

G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued

- G7. This permit has been issued for: New Construction Substantial Improvement
G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum
G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum
G10. Community's design flood elevation: feet meters Datum

Local Official's Name Title
Community Name Telephone
Signature Date
Comments

Check here if attachments.

# Building Photographs

See Instructions for Item A6.

**IMPORTANT: In these spaces, copy the corresponding information from Section A.**

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  
4850 ESTERO BLVD (BUILDING #3)

Policy Number:

City FORT MYERS BEACH

State FL

ZIP Code 33931

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

2-3-14; FRONT VIEW



2-3-14; RIGHT SIDE VIEW



2-3-14; REAR VIEW



2-3-14; LEFT SIDE VIEW



# Building Photographs

Continuation Page

**IMPORTANT: In these spaces, copy the corresponding information from Section A.**

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  
4850 ESTERO BLVD (BUILDING #3)

Policy Number:


City FORT MYERS BEACH

State FL ZIP Code 33931

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.


2-3-14; FLOOD VENT



2-3-14; AIR CONDITIONER



2-3-14; HOT WATER HEATER



## CERTIFICATION OF ENGINEERED FLOOD OPENINGS (FEMA TB-1 August 2008)

I do hereby certify that the **FLOOD SOLUTIONS LLC** Flood Vent properly installed and sized in accordance with Federal Emergency Management Agency's (FEMA's) National Flood Program regulations is designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for entry and exit of floodwater during floods up to and including the base 100-year flood.

I also do hereby certify that I calculated the Non Engineered Net Free Air and Engineered Opening size for each model and size of FLOOD SOLUTIONS LLC flood vents. The results of the calculations are recorded in the table below. The Engineered size opening calculation was performed using the formula in FEMA Technical Bulletin 1 – August 2008, Openings in Foundation Walls for Buildings Located in Special Flood Hazard Areas in accordance with the National Flood Insurance Program (NFIP) and ASCE/SEI 24-05, Flood Resistance Design and Construction.

I measured the Non Engineered Net Free Air by calculating the minimum distance between the top blade and the top of the vent times the clear opening width of the vent; plus the minimum distance between the bottom blade and the bottom of the vent the clear opening width of the vent; plus the minimum distance between each blade times the number of spaces between the blades in vent times the clear opening width of the vent.

I used the formula in TB 1 – August 2008 ( $A^0 = 0.033 [1/C] R A^e$ ) to determine the Engineered Opening size for each model listed below. I used the following assumptions:  $A^0$  = total net area of openings required (in<sup>2</sup>); 0.033 = coefficient corresponding to a factor of safety of 5.0 (in<sup>2</sup> hr/ft<sup>3</sup>); c = 0.40 opening coefficient (ASCE 24 Table 2-3 "rectangular, long axis horizontal, short axis vertical unobstructed during design flood") or C = 0.35 (square unobstructed during design flood); R = 5 ft/hr worst case rate of rise and fall; and  $A^e$  = 1 ft<sup>2</sup> total enclosed area.

Note: When the horizontal dimension is twice or more the vertical dimension, use 0.4; as the dimensions approach a square, interpolate from 0.4 to 0.35.

$$A^0 / A^e = 0.033 [1/C] R = 0.033 [1/0.40 \text{ for rectangle, long axis horizontal}] = 0.4125 \text{ in}^2 \text{ per ft}^2$$

$$\text{or } A^0 / A^e = 0.033 [1/C] R = 0.033 [1 / 0.35 \text{ for square}] = .4719 \text{ in}^2 \text{ per ft}^2$$

Each individual opening, and any louvers, screens, or other covers, shall be designed to allow automatic entry and exit of floodwaters during design flood or lesser flood conditions; there shall be a minimum of two openings on different sides of each enclosed area; if a structure has more than one enclosed area below the DFE, each area shall have openings; openings shall not be less than 3 inches in any direction in the plane of the wall; the bottom of each required opening shall be no more than 1 ft. above the adjacent grade; the difference between the exterior and interior floodwater levels shall not exceed 1 ft. during base flood conditions; in the absence of reliable data on the rates of rise and fall, assume a rate of rise and fall of 5ft/hr; where data or analysis indicated more rapid rates of rise and fall, the total net area of the required openings shall be increased to account for the higher rates of rise and fall.

MODEL Number Flood Solutions:	SIZE of OPENING: (WIDTH X HEIGHT)	Net Free Air (square inches):	ENGINEERED OPENING Each vent covers: (square ft.)
1412-F	14-1/2" x 12"	67	145
1509-F	16" x 9-1/2"	55	131
1608-F	16" x 8"	51	124
1608-D	16" x 8"	51	124
1608-C	16" x 8"	65	158
1616-F	16" x 16"	104	221
1616-D	16" x 16"	102	216
2412-F	24" x 12"	113	274
2412-D	24" x 12"	110	267
2416-F	24" x 16"	156	362
2416-D	24" x 16"	154	357
3208-F	32" x 8"	104	252
3208-D	32" x 8"	104	252

SIGNATURE: \_\_\_\_\_

NAME : DANIEL G. FARABAUGH

TYPE OF LICENSE: PROFESSIONAL ENGINEER

STATE: FLORIDA LICENSE NUMBER: 48349

DAN FARABAUGH, P.E.  
 FARABAUGH ENGINEERING AND TESTING, INC.  
 401 WIDE DR., McKEESPORT, PA 15135  
 PHONE: 412-751-4001 FAX: 412-751-4003

