

Town of Fort Myers Beach
Agenda Item Summary

Blue Sheet Number: 2014-068

1. Requested Motion:

Meeting Date: August 18, 2014

Approve the purchase of the following replacement vehicles from Isuzu Truck of Ocala, Ocala, FL.
2 Isuzu Dump Trucks with crew cab and dump body for \$65,868 each (*budgeted amount: \$65,000*).

Why the action is necessary:

Authorize the purchase of two budgeted dump trucks- utilizing the "piggyback" provision of the Town's purchasing manual.

What the action accomplishes:

Replacement and purchase of authorized vehicles.

2. Agenda:

Consent
 Administrative

3. Requirement/Purpose:

Resolution
 Ordinance
 Other

4. Submitter of Information:

Council
 Town Staff – *Public Works*
 Town Attorney

5. Background:

In the FY 2014 Budget, the Town Council approved the purchase of a number of replacement vehicles. The funding source was a transfer from Reserves to the General Fund for the purchases. The purchasing policies allow the Town to purchase goods under a contract awarded by another governmental entity if the purchase is advantageous for the Town. Staff has identified another governmental entity – the participating Sheriff's Offices and Local Government Agencies of the State of Florida who has contracted with Isuzu Truck of Ocala *Bid # FSA 13-11-0904*. Staff contacted a number of other agencies locally and state-wide and has determined that the Sheriff's Office bid prices are better than any other prices available. The Finance Director has reviewed the bid from the Sheriff's Office and Local Government Agencies and determined that the purchase would be advantageous for the Town.

- Attached is the quotation from Isuzu and the Town of Fort Myers Beach FY 2014 Equipment Replacement detail.

6. Alternative Action:


Deny this request and do not enter into any agreement to purchase vehicles

7. Management Recommendations:

Approve requested motion

8. Recommended Approval:

Authorize staff to work with Isuzu Truck of Ocala to secure the vehicles.

Town Manager	Town Attorney	Finance Director	Public Works Director	Community Development Director	Parks & Recreation Director	Town Clerk
			SAB			

9. Council Action:

Approved Denied Deferred Other

Town of Fort Myers Beach
Equipment Replacement - FY14

Description	Dept
-------------	------

Amount Budgeted	Budget			General Fund Reserves
	Funded by:			
	TDC	Water Utility		

Amount Spent as of July 2014	Spent			General Fund Reserves
	Funded by:			
	TDC	Water Utility		

Replacements:

Mitsubishi Truck Fuso	Public Works	65,000.00	8,378.50	56,621.50
Mitsubishi Truck Fuso	Public Works	65,000.00	8,378.50	56,621.50
Aerial Lift / Boom Truck	Public Works	30,000.00	13,500.00	16,500.00
Sweeper	Public Works	37,000.00		37,000.00
SUV	Public Works	32,000.00		32,000.00
Light Duty Vehicle	Comm Dev	18,000.00		18,000.00
Utility Vehicle - with dump bed	Public Works	20,000.00	20,000.00	

18,000.00			18,000.00
12,000.00			12,000.00
18,000.00			18,000.00
20,000.00	20,000.00		
14,000.00	14,000.00		
14,000.00	14,000.00		
18,000.00		18,000.00	
381,000.00	98,257.00	18,000.00	264,743.00

17,100.24			17,100.24
15,329.07			15,329.07
17,100.24			17,100.24
20,457.47	20,457.47		
13,994.35	13,994.35		
14,279.06	14,279.06		
17,100.24		17,100.24	
179,412.11	69,188.35	17,100.24	93,123.52

New - Not Replacements:

Light Duty Vehicle	Comm Dev	18,000.00		18,000.00
Utility Vehicle	Comm Dev	12,000.00		12,000.00
Light Duty Vehicle	Public Works	18,000.00		18,000.00
Utility Vehicle - with dump bed	Public Works	20,000.00	20,000.00	
Mule	Public Works	14,000.00	14,000.00	
Mule	Park & Rec	14,000.00	14,000.00	
Light Duty Vehicle	Water Utility	18,000.00		18,000.00

18,000.00			18,000.00
12,000.00			12,000.00
18,000.00			18,000.00
20,000.00	20,000.00		
14,000.00	14,000.00		
14,000.00	14,000.00		
18,000.00		18,000.00	
381,000.00	98,257.00	18,000.00	264,743.00

17,100.24			17,100.24
15,329.07			15,329.07
17,100.24			17,100.24
20,457.47	20,457.47		
13,994.35	13,994.35		
14,279.06	14,279.06		
17,100.24		17,100.24	
179,412.11	69,188.35	17,100.24	93,123.52

General Fund Reserves earmarked for New Equipment Purchases	500,000.00
Amount spent as of July 2014	93,123.52
Remaining Balance of General Fund Reserves for Equipment Purchases	<u>406,876.48</u>

**Isuzu Truck of Ocala
3950 W Hwy 326
Ocala, Fl. 34482
407-295-3846 ext 122**

6-26-2014

To: Ft Myers Beach Florida

Regarding FSA Bid 13-11-0904

To: Shawn Millis

**Isuzu Truck of Ocala is pleased to quote the following Isuzu
via the Florida Sheriff's Contract #13-11-0904**

Spec #5	36,758.00
NR154 (17950 GVWR)	4,668.00
NG304 (Crew Cab)	5,096.00
NF254 (111" CA)	371.00
16CONT (Contractors dump)	18975.00
Dump body will be 12', not 16' due to 2'X4'X8' tool box between cab and dump	
Total	65,868.00

**Regards,
Bob Scharpnick
Municipal/Fleet Sales**

863-675-4440 FAX

DATE	QUOTE#
6/30/2014	1464

BILL TO	SHIP TO
ORLANDO FREIGHTLINER 2455 S. ORGANGE BLOSSON TRAILER APOKA FL 32703 ATT:BOB SCHARPNICK 407-295-3846 EXT 122	ISUZU CREW 176" REAR AXLE TO END BED 83" CENTER HINGE TO END 35"

ITEM	DESCRIPTION	QTY		
1	8' X 12' ALL STEEL DUMP BODY 3/16 1 PIECE FLOOR VC 516 HOIST 48" SIDES 1/2 SOLID 1/2 SCREEN 2' X 6' FOLD DOWN GATE BOTH SIDES BARNSTYLE REAR GATES TARP ROLLER AND STEP 1-2' X 4' X 8' FRAME MOUNTED TOOL BOX BETWEEN CAB AND DUMP WITH 1 SCREEN SHELF 8" HIGH RAIL AROUND TOP OF TOOL BOX 1-2,000 LB. TUCK AWAY LIFT GATE INSTALLED 1-3' TOOL BOX 1-5' TOOL BOX	1	1	

BID AWARD ANNOUNCEMENT

13-11-0904

*Effective Dates:
October 1, 2013- September 30, 2014*

OFF-ROAD UTILITIES, MEDIUM/HEAVY TRUCKS, & OTHER FLEET EQUIPMENT

*Participating Sheriffs Offices & Local Governmental
Agencies of the State of Florida*

Coordinated By

**The
Florida Sheriffs Association
& Florida Association**



*Tenant Quote
\$ current FL
Contract.*

SM

FY14 Budget = 37,000

TABLE OF CONTENTS

Effective Dates & Ordering Instructions	11-13
Overview of Awarded Specifications.....	13
Delivery Conditions.....	43
Awarded Dealers.....	44
Basic Information REQUIRED for Purchase Orders.....	51
Zone Map	52
 Specification #1 – Off-Road All Terrain Vehicles - 4 Wheel Drive	
Awarded Dealer(s)	53
Base Specifications	54
Honda Four Trax Foreman 500	55
Polaris Sportsman 570 EF.....	58
Suzuki King Quad.....	61
Yamaha Grizzly 550.....	64
 Specification #2 – Off-Road Utility Vehicles - 4 Wheel Drive	
Awarded Dealer(s)	68
Base Specifications	70
Bobcat 3400.....	71
Case IH Scout XL	74
Honda Pioneer 700.....	77
John Deere Gator HPX.....	80
Kawasaki 4010.....	84
Kubota Diesel.....	88
New Holland Rustler 125.....	91
Polaris Brutus Diesel.....	94
Polaris Ranger 570 EFI.....	97
Yamaha Viking	101
 Specification #3 – 1 Ton Cab & Chassis (Dual Rear Wheel) - 4x2	
Awarded Dealer(s)	104
Base Specifications	105
Chevrolet Silverado 3500 HD (RO)*	
Dodge Ram 3500.....	107
Ford F-350.....	112
Freightliner Sprinter.....	119
GMC Sierra 3500 HD (RO)*	
(Must be purchased from 12-10-0905 Bid Award Announcement - Spec. #01)	
 Specification #4 – 1 Ton Cab & Chassis (Dual Rear Wheel) - 4x4	
Awarded Dealer(s)	124
Base Specifications	125
Chevrolet Silverado 3500 HD (RO)*	
Dodge Ram 3500.....	127
Ford F-350.....	132



FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
<u>TILT CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 (Specification #05)</u>			
Isuzu Truck of Ocala	2014 Isuzu NF154	Western	\$36,758.00
Isuzu Truck of Ocala	2014 Isuzu NF154	Northern	\$36,758.00
Isuzu Truck of Ocala	2014 Isuzu NF154	Central	\$36,758.00
Isuzu Truck of Ocala	2014 Isuzu NF154	Southern	\$36,758.00
Kenworth of Jacksonville, Inc.	2014 Kenworth K270	Western	\$71,915.00
Kenworth of Jacksonville, Inc.	2014 Kenworth K270	Northern	\$71,386.00
Kenworth of Central Florida	2014 Kenworth K270	Central	\$72,685.00
Kenworth of South Florida	2014 Kenworth K270	Southern	\$70,964.00
Messina Truck Center	2014 Mitsubishi FE125	★ Western	\$36,195.00
Messina Truck Center	2014 Mitsubishi FE125	★ Northern	\$36,195.00
Messina Truck Center	2014 Mitsubishi FE125	★ Central	\$36,195.00
Messina Truck Center	2014 Mitsubishi FE125	★ Southern	\$36,195.00
Rush Truck Centers of Florida, Inc.	2014 Peterbilt 210	Western	\$66,469.00
Rush Truck Centers of Florida, Inc.	2014 Peterbilt 210	Northern	\$66,469.00
Rush Truck Centers of Florida, Inc.	2014 Peterbilt 210	Central	\$66,469.00
Palm Peterbilt Truck Centers	2014 Peterbilt 210	Southern	\$67,996.00



FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

TILT CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 SPECIFICATION #5

2014 Isuzu NF154
2014 Kenworth K270
2014 Mitsubishi FE125
2014 Peterbilt 210

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard diesel engine
- b. Heavy duty alternator
- c. Maintenance free heavy duty battery
- d. Manufacturer's heavy duty engine cooling

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags, if available.
- d. Manufacturer's standard convex mirrors.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. BSW steel belted radials, 215/85R16E minimum.
- b. 16 x 6.0 steel - 6-hole disc wheels.

c. Tire capacity: front - 2,400 lbs. (ea.); rear - 2,200 lbs. (ea.).

8. CHASSIS, FRAME, CAB:

- a. Minimum 12,000 lb. GVWR.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard fuel tank.
- d. Manufacturer's standard bumper.
- e. Cab with 45-degree mechanical tilt with torsion assist.
- f. Tilt cab & chassis only.



FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

TILT CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 SPECIFICATION #5

2014 Isuzu NF154

The Isuzu NF154 purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$36,758.00	\$36,758.00	\$36,758.00	\$36,758.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:	NF154			
DEALER:	Isuzu Truck of Ocala			
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$36,758.00	\$36,758.00	\$36,758.00	\$36,758.00

Order Code	Delete Options	All Zones
DB104 ¹	Standard V8 gas engine, standard battery and alternator in lieu of diesel engine <i>12000GVWR</i> ¹	(\$1,820.00) ¹
	5-speed manual transmission with overdrive in lieu of automatic overdrive (diesel only)	NA
	Air conditioning	NA
IY4 ¹	AM/FM stereo radio	(\$102.00) ¹
	On-Star	NA
	Satellite radio	NA

Order Code	Add Options	All Zones
NR154 ¹	GVWR upgrade - specify <i>17950 GVWR</i> ¹	\$4,668.00 ¹
NU154 ¹	GVWR upgrade - specify <i>19500 GVWR</i> ¹	\$6,506.00 ¹
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA
	Bi-fuel model - specify	NA
	CNG model - specify	NA
	CNG conversion (discuss with dealer)	NA
	LPG conversion (discuss with dealer)	NA
EBC ¹	Electric brake controller <i>DEALER INSTALLED</i> ¹	\$360.00 ¹
	Manufacturer's model upgrade package (specify pkg. bid)	NA
	Power windows/door locks	Std
	Speed control/tilt steering wheel	Std
3K ¹	Third key	\$25.00 ¹
NG304 ¹	Crew cab model (non tilt)	\$5,096.00 ¹
	Cab steps	Std
	Left-hand pillar mounted 6" spotlight with clear halogen bulb, dealer installed	NA
	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb, dealer installed	NA
	Vent visors - stick-on style	NA
	Rainshields - flange style	NA
	Daytime running lights	NA
	Immobilize daytime running lights	Std

VEHICLE:	NF154			
DEALER:	Isuzu Truck of Ocala			
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$36,758.00	\$36,758.00	\$36,758.00	\$36,758.00

	Bug shield	NA
WGG ¹	Wrap-around grille guard	NA ¹
	Spray-in liner (Rhino. Line-X or approved equivalent)	NA
	1,500 lb. lift gate (rail gate)	NA
1500TUCKAWAY ¹	1,500 lb. lift gate (tuck under) <i>WALTCO OR TOMMYGATE¹</i>	\$5,998.00 ¹
1500TUCKAWAY ¹	1,500 lb. lift gate (hydraulic) <i>WALTCO OR TOMMYGATE¹</i>	\$5,998.00 ¹
NF254 ¹	111" cab to axle, minimum	\$371.00 ¹
NF354 ¹	127" cab to axle, minimum	\$831.00 ¹
NF454 ¹	153" cab to axle, minimum	\$1,551.00 ¹
HITCH ¹	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$735.00 ¹
6132D54 ¹	Manufacturer's certified factory standard wide service body for dual rear wheels approximately 11.5 ft. OAL to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$12,166.00 ¹
LS BODY ¹	Manufacturer's certified factory standard beaver tail landscape wide body for dual rear wheels approximately 14 ft. long to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.) <i>12' PLATFORM AND 4' TAIL INCLUDES WEED EATER RACK¹</i>	\$10,484.00 ¹
12FLAT ¹	Manufacturer's certified factory 12' flatbed wide body for dual rear wheels to include appropriate mirrors - specify. 10 ga. H.S. smooth steel floor cross members on 12" centers. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$4,644.00 ¹
14FLAT ¹	Manufacturer's certified factory 14' flatbed wide body for dual rear wheels to include appropriate mirrors - specify. 10 ga. H.S. smooth steel floor cross members on 12" centers. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$5,650.00 ¹
14' DRY VAN ¹	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$11,690.00 ¹
16' DRY VAN ¹	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$12,370.00 ¹
20' DRY VAN ¹	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$14,152.00 ¹
NEWAY8RL ¹	Optional body - specify <i>NEWAY DIAMONDBACK 8 CY REAR LOADER-REQUIRES 19500 GVWR-MAY REQUIRE CROSS RAIL HORIZONTAL EXHAUST¹</i>	\$46,818.00 ¹

VEHICLE:	NF154			
DEALER:	Isuzu Truck of Ocala			
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$36,758.00	\$36,758.00	\$36,758.00	\$36,758.00

NEWAYHB800 ¹	Optional body - specify NEWAY MAMBA HB800 SIDE LOADER-REQUIRES 19500 GVWR-MAY REQUIRE CROSS RAIL HORIZONTAL EXHAUST ¹	\$50,584.00 ¹
LOADMASTER 6 CY ¹	Optional body - specify LOADMASTER ELITE 6 CY REAR LOADER-REQUIRES 19500 GVWR-MAY REQUIRE CROSS RAIL HORIZONTAL EXHAUST ¹	\$51,160.00 ¹
16'FLAT ¹	Optional body - specify REQUIRES 19500 GVWR ¹	\$6,070.00 ¹
16'CONT ¹	Optional body - specify 16' CONTRACTORS DUMP-REQUIRES 19500 GVWR ¹	\$18,975.00 ¹
	Powder coating for utility body	NA
SPARE ¹	Full size spare tire & rim	\$887.00 ¹
	Nitrogen filled tires including spare tire	NA
UZP ¹	Backup alarm - Factory Installed	\$112.00 ¹
	Backup alarm - Dealer installed	NA
	Backup camera with 3.5" LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle) - Factory Installed	NA
BUC ¹	Backup camera with 3.5" LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle) - Dealer Installed	\$1,350.00 ¹
IL9 ¹	Optional equipment - specify PTO PROVISION ¹	\$47.00 ¹
IV8 ¹	Optional equipment - specify SEAT COVERS ¹	\$249.00 ¹
I8H ¹	Optional equipment - specify AM FM CD WITH BLUETOOTH ¹	\$299.00 ¹
I9H ¹	Optional equipment - specify HTD DUAL REMOTE MIRRORS ¹	\$459.00 ¹
10A ¹	Optional equipment - specify CROSS RAIL HORIZONTAL EXHAUST ¹	\$3,131.00 ¹
	Optional equipment - specify	NA
	Optional equipment - specify	NA
	Optional equipment - specify	NA
	Optional equipment - specify	NA
	Optional equipment - specify	NA
TEMP ¹	Temporary tag	\$5.00 ¹
TRANSFER ¹	Transfer existing registration (must provide tag number)	\$135.00 ¹
NEW TAG ¹	New state tag (specify state, county, city, sheriff, etc.)	\$135.00 ¹
	Maintenance Plan - specify CONTACT DEALER FOR CURRENT PROGRAMS ¹	NA ¹
	Maintenance Plan - specify	NA
	Maintenance Plan - specify	NA

VEHICLE:	NF154			
DEALER:	Isuzu Truck of Ocala			
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$36,758.00	\$36,758.00	\$36,758.00	\$36,758.00

BASE ¹	Warranty - specify 3 YRS UNLIMITED MILES ¹	Std ¹
EXTENDED ¹	Warranty - specify 5 YRS OR 150,000 MILES WHICHEVER COMES FIRST EXTENDED BASE COVERAGE ¹	NC ¹
	Warranty - specify	NA
ENGINE ¹	Diesel Warranty - specify 3 YRS UNLIMITED MILES ¹	Std ¹
	Diesel Warranty - specify	NA
	Diesel Warranty - specify	NA



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

Technical Specifications

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

Selected Model and Options

MODEL

CODE	MODEL
NS454	2014 Isuzu NQR DSL CREW 176" WB WHITE CAB IBT AIR PWL

COLORS

CODE	DESCRIPTION
729	Arc White

AXLE

CODE	DESCRIPTION
098	Rear axle ratio, 5.125:1 (STD)

SEAT TRIM

CODE	DESCRIPTION
34C	Very Dark Pewter, Tricot & Jersey knit combination cloth seat trim (STD)

PRIMARY PAINT

CODE	DESCRIPTION
729	Arc White

REQUIRED OPTION

CODE	DESCRIPTION
C60	Air conditioning
I3H	DEF Fill Charge

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

ENGINE

CODE	DESCRIPTION
I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover. (STD)

REAR TIRES

CODE	DESCRIPTION
I5H/I34	Rear tires, 225/70R19.5F (12 ply) tubeless radial, all season tread (STD)

FRONT TIRES

CODE	DESCRIPTION
I5H/I69	Front tires, 225/70R19.5F (12 ply) tubeless radial, all season tread (STD)

WHEELBASE

CODE	DESCRIPTION
IH7	Wheelbase, 176" (447.0 cm) includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 11.89 cu.in. and RBM 523,160 lb-ft/in per rail. (STD)

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

POWER TAKE OFF

CODE	DESCRIPTION
IL9	Provision for power-take-off PTO Enable Switch and Engine Idle Up Switch. Recommended for PTO applications only. These switches can be port or dealer installed. Please consult the body builders guide and/or the service manual for additional programming options and functions

TRANSMISSION

CODE	DESCRIPTION
IR7	Transmission, automatic, Aisin A465 6-speed. Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539 (STD)

MODEL OPTION

CODE	DESCRIPTION
NS454	Custom/base model (SEO) -inc: in rail fuel tank, pwr windows/door locks (REQ: C60 Air Conditioning)

VEHICLE APPLICATION

CODE	DESCRIPTION
RQ2	Truck application (STD)

EMISSIONS

CODE	DESCRIPTION
YF5	50 State Emissions, including California

PAINT SCHEME

CODE	DESCRIPTION
ZY1	Solid paint (STD)

Options Total

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

Standard Equipment

Mechanical

Truck Application

GVWR, 17950 lbs (8142 kg) capacity

4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover.

Air Cleaner, 11 in. diameter Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction gauge. The air cleaner snorkel is incorporated into the back of the cab and incorporates a resonator.

Alternator, 110 AMP with integral regulator

Battery, Dual 12-V maintenance free, 750 CCA each

Transmission, Automatic, Aisin A465 6-speed. Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539

Rear wheel drive

Front GAWR, 6830 lbs (3098 kg) capacity

Front Axle, Reverse Elliot "I"-beam rated at 6830 lbs. (3098 kg). Includes integral hydraulic power steering. Ratio 18.8-20.9:1

Front Suspension, 8440 lbs. (3828 kg) capacity. Semi-elliptical steel alloy tapered leaf springs. Includes shock absorbers and stabilizer bar.

Front Wheels, 19.5" x 6", 6-hole disc, painted white

Front Tires, 225/70R19.5F (12 ply) tubeless Radial, all season tread

Rear GAWR, 12980 lbs (5888 kg) capacity

Rear Axle, Full-floating single-speed, 14550 lbs. (6600 kg) capacity with oil lubricated rear wheel bearings

Rear Axle Ratio, 5.125:1

Rear Suspension, 14550 lbs. (6600 kg) capacity. Semi-elliptical steel alloy multi-leaf springs. Includes shock absorbers.

Rear Wheels, 19.5" x 6", 6-hole disc, painted white

Rear Tires, 225/70R19.5F (12 ply) tubeless Radial, all season tread

Wheelbase, 176" (447.0 cm), includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 11.89 cu.in. and RBM 523,160 lb-ft/in per rail.

Fuel Tank, 30-gallon (113.6L) rectangular fuel tank. Mounted between frame rail through the rail fuel fill. Fuel water separator with dash mounted warning light.

Brake System, Dual circuit, hydro-boost hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.

Exhaust Brake, Butterfly valve type

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

Mechanical

Exhaust System, Single horizontal with DPF (Diesel Particulate Filter)

Exterior

Paint Scheme, Solid

Hexapod cab

Cab Mounts, All steel 7 passenger low cab forward, BBC 109.9 in. (279.1 cm)

Daytime running lamps

Windows, Tinted glass

Mirrors, Dual cab mounted exterior with integral convex mirror

Windshield Wipers, Intermittent wet-arm

Interior

Multi-Information Display (MID) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The MID provides fuel economy reporting by average, instant, and trip.)

Isuzu Vehicle Health Report (Standard on all N-Series diesel trucks, exclusive to Isuzu, monitors the trucks performance, and driver behavior. Reports provide detailed information on engine operation, braking, emissions, fuel economy, acceleration & deceleration frequency, idling, and speed history. Ask your Isuzu dealer to provide you with an Isuzu Vehicle Health Report at your next service.)

AM/FM CD stereo radio

Tricot and jersey knit combination cloth covered reclining highback driver seat with single two occupant fold down passenger seat

Seats, Passenger, Four passenger rear bench seat

Front floor mats

Tilt and telescoping steering column

Cruise control

Power windows & door locks

Door/seatback map pockets

Overhead storage shelf

Dome light

Safety-Mechanical

4 channel anti-lock brake system

Daytime running lamps

EBD (Electronic Brake Distribution)

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Isuzu Truck of Ocala

Bob Scharpnick | 407-295-3846 ext 122 | bscharpnick@orlandofreightliner.com

2014 Isuzu NQR DSL CREW (NS454) 176" WB WHITE CAB IBT AIR PWL (8)

WARRANTY

Basic Years: 3
Basic Miles/km: Unlimited
Drivetrain Years: 3
Drivetrain Miles/km: Unlimited
Corrosion Years: 4
Corrosion Miles/km: Unlimited
Frame Rail Years: 3
Frame Rail Miles/km: Unlimited
Frame Rail Note: 3 Years to 5 Years/Unlimited Parts and Labor have a 50% charge

Current report content is based on Data Version 597, Jun 22, 2014 10:08:00 PM PDT. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.